

BenQ SW272U monitor de computadora 68.6 cm (27") 3840 x 2160 Pixeles 4K Ultra HD Negro

Marca : BenQ Código del producto: 9H.LLFLB.QBA

Nombre del producto: SW272U

BenQ SW272U. Diagonal de la pantalla: 68.6 cm (27"), Resolución de la pantalla: 3840 x 2160 Pixeles, Tipo HD: 4K Ultra HD, Tiempo de respuesta: 5 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. Concentrador USB integrado. montaje VESA, Ajustes de altura. Color del producto: Negro





Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDMI version	2.0
Display resolution *	3840 x 2160 pixels	DisplayPorts quantity	1
HD type *	4K Ultra HD	DisplayPort version	1.4
Native aspect ratio *	16:9	Headphone out *	✓
Panel type *	IPS	HDCP	/
LED backlight	✓	HDCP version	2.2
Display brightness (typical)	400 cd/m ²	Card reader integrated	✓
Response time *	5 ms	Compatible memory cards	MMC, SD, SDHC, SDXC
Anti-glare screen	✓	,	,,,
Screen shape *	Flat	Ergonomics	
Contrast ratio (typical) *	1000:1	VESA mounting *	✓
Maximum refresh rate *	60 Hz	Panel mounting interface	100 x 100 mm
Viewing angle, horizontal	178°	Wall mountable	✓
Viewing angle, vertical	178°	Height adjustment *	✓
Display number of colours *	1.07 billion colours	Height adjustment	14 cm
Pixel density	163 ppi	Pivot	✓
High Dynamic Range (HDR) supported	✓	Pivot angle	-90 - 90°
High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10),	Swivelling	1
technology	Hybrid Log-Gamma (HLG)	Swivel angle range	-30 - 30°
Colour depth	16 bit	Tilt adjustment	✓
sRGB coverage (typical)	100%	Tilt angle range	-5 - 20°
Adobe RGB coverage	99%	On Screen Display (OSD)	✓
Design			Arabic, Simplified Chinese,
Market positioning *	Photo editing		Traditional Chinese, Czech, German, Dutch, English, Spanish, French, Hungarian, Italian, Japanese,
Product colour *	Black	On Screen Display (OSD) languages	
Feet colour	Black		Korean, Polish, Portuguese, Romanian, Russian, Swedish
		Number of OSD languages	18

Ports & interfaces		Power	
Built-in USB hub * Number of USB Type-B upstream ports quantity	1	Power consumption (typical) * Power consumption (standby) * Power consumption (max)	34 W 0.5 W 200 W
USB Type-A downstream ports quantity	2	Weight & dimensions	
USB Type-C downstream ports quantity	1	Width (with stand) Depth (with stand)	613.9 mm 274 mm
USB Type-C DisplayPort Alternate Mode	✓	Height (with stand) Weight (with stand) Weight (without stand)	591.8 mm 8.6 kg 5.25 kg
USB Power Delivery (USB PD)	✓		
USB Power Delivery up to HDMI *	90 W	Packaging content	
HDMI ports quantity	2	Sun hood included	✓
		Quick start guide	✓
		Other features	
		Hardware calibration	✓
		Built-in calibration sensor	✓
		Compliance certificates	cTUVus

